Physica C 182 (1991) 365–367
North-Holland

PHYSICA C

Author Index to Volume 182

Abrikosov, A.A., Raman light scattering by electrons in layered superconductors **182**, 191
Adelmann, P., see M. Knupfer **182**, 62
Alexander, M., see M. Knupfer **182**, 62
Alexandrov, A.S., Polaron theory of nuclear relaxation in $YBa_2Cu_4O_8$ and other metal oxides **182**, 327
Arendt, R.H., M.F. Garbauskas, C.A. Meyer, F.J. Rotella, J.D. Jorgensen and R.L. Hitterman, Thermal expansion measurements using neutron diffraction of $Bi_2CaSr_2Cu_2O_x$ **182**, 73
Asavaroengchai, C., see J.B. Torrance **182**, 351
Askenazy, S., see M.S. Osofsky **182**, 257
Aste, T., E. Galleani d'Agliano and F. Napoli, AFM paramagnons in doped CuO_2 layers and superconducting pairing **182**, 307

Bacon, M., see P. Hecking **182**, 52
Balakrishnan, G., see D.G. Kuberkar **182**, 149
Batlogg, B., see J.M. Rosamilia **182**, 285
Bäuerle, D., see P. Schwab **182**, 103
Becker, S., see M. Lorenz **182**, 114
Bennett, L.H., see M.J. Turchinskaya **182**, 297
Bestgen, H., see Ch. Lang **182**, 79
Block, R., see L. Jansen **182**, 17
Bornemann, H.J., D.E. Morris and H.B. Liu, Negative oxygen isotope shift in Bi-2223 ($Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$) with $T_c \approx 108$ K **182**, 132
Brousse, T., see G. Poullain **182**, 143
Brüll, P., D. Kirchgässner and P. Leiderer, Observation of symmetric patterns in the flux distribution of thin $YBa_2Cu_3O_{7-x}$ films **182**, 339
Brunner, B., see M. Lorenz **182**, 114
Burns, S.J., see A. Goyal **182**, 203

Caignaert, V., see E. Suard **182**, 219
Cao, X.W., C.Y. Wu and J.C. Ho, Superconductivity in the $(Dy_{1-x}Pr_x)Ba_2Cu_2O_y$ system **182**, 153
Carter, C.B., see M.G. Norton **182**, 30
Carter, C.B., see L.A. Tietz **182**, 241
Cava, R.J., see J.M. Rosamilia **182**, 285
Chauvel-Kokabi, V., see G. Poullain **182**, 143
Chrisey, D.B., see M.S. Osofsky **182**, 257
Chrzanoswki, J., J.C. Irwin, B. Heinrich, A.E. Curzon, N. Fortier and A. Cragg, Characterization of sputtered films of $Tl_2Ba_2CaCu_2O_8$ using Raman scattering and X-ray diffraction **182**, 231
Comberg, A., see J. Pankert **182**, 291
Cragg, A., see J. Chrzanoswki **182**, 231
Curzon, A.E., see J. Chrzanoswki **182**, 231

Dietze, H.-J., see M. Lorenz **182**, 114
Dong, S., see X. Wang **182**, 333

Edwards, P.P., see R.S. Liu **182**, 119
Elschner, S., see Ch. Lang **182**, 79
Ewert, S., see J. Pankert **182**, 291

Fink, J., see M. Knupfer **182**, 62
Fortier, N., see J. Chrzanoswki **182**, 231
Fröning, P., see J. Pankert **182**, 291
Funkenbusch, P.D., see A. Goyal **182**, 203

Galleani d'Agliano, E., see T. Aste **182**, 307
Garbauskas, M.F., see R.H. Arendt **182**, 73
Gauzzi, A., M.L. Lucía, B.J. Kellett, J.H. James and D. Pavuna, Large area superconducting $YBa_2Cu_3O_{7-x}$ films grown by single target ion beam sputtering **182**, 57
Genkin, G.M. and A.V. Okomel'kov, Resistivity of optically excited high-T_c thin superconducting films **182**, 171
Gerdanian, P., C. Picard and B. Touzelin, Determination of the tetragonal–orthorhombic phase boundary of $YBa_2Cu_3O_z$ between 100°C and 700°C **182**, 11
Glarum, S.H., see J.M. Rosamilia **182**, 285
Gopalakrishnan, I.K., J.V. Yakhmi, H. Rajagopal, A. Sequeira and R.M. Iyer, Ambient pressure synthesis and neutron structure analysis of $YBa_2Cu_4O_8$ **182**, 67
Goyal, A., P.D. Funkenbusch, D.M. Kroeger and S.J. Burns, Fabrication of highly aligned $YBa_2Cu_3O_{7-\delta}$–Ag melt-textured composites **182**, 203
Grishin, Yu.A., see S.N. Smirnov **182**, 261
Gupta, L.C., see D.G. Kuberkar **182**, 149

Hamet, J.-F., see G. Poullain **182**, 143
Hecking, P. and M. Bacon, Attractive force and residual magnetism in AgO-doped and non-doped YBCO **182**, 52
Heinrich, B., see J. Chrzanoswki **182**, 231
Hettich, B., see Ch. Lang **182**, 79
Hiraga, K., see S. Nakajima **182**, 89
Hirsch, J.E., Why is photoemission better than inverse photoemission for studying high-T_c oxides? **182**, 277
Hitterman, R.L., see R.H. Arendt **182**, 73
Ho, J.C., see X.W. Cao **182**, 153
Horwitz, J.S., see M.S. Osofsky **182**, 257

Irwin, J.C., see J. Chrzanoswki **182**, 231
Iyer, R.M., see I.K. Gopalakrishnan **182**, 67

James, J.H., see A. Gauzzi **182**, 57
Jansen, L., R. Block and E. Lombardi, On the

superconductivity of K- or Rb-doped buckminsterfullerene C_{60} **182**, 17
Jia, C.L., H. Soltner, B. Kabius, U. Poppe, K. Urban and J. Schubert, A study of antiphase boundaries and "223" planar faults in epitaxial $YBa_2Cu_3O_7$ films by high resolution electron microscopy **182**, 163
Jiang, M., see X. Wang **182**, 333
Jilek, E., see M. Knupfer **182**, 62
Jorgensen, J.D., see R.H. Arendt **182**, 73

Kabius, B., see C.L. Jia **182**, 163
Kaldis, E., see M. Knupfer **182**, 62
Kamei, M., I. Yoshida, T. Morishita and S. Tanaka, Effects of the lattice mismatch and vicinal polishing on the heteroepitaxial growth of $Bi_2Sr_2CuO_x$ buffer layers on MgO (100) for Bi–Sr–Ca–Cu–O films **182**, 123
Karpinski, J., see M. Knupfer **182**, 62
Kazin, P.E., see A.I. Kuzmenkov **182**, 228
Kellett, B.J., see A. Gauzzi **182**, 57
Kikuchi, M., see S. Nakajima **182**, 89
Kirchgässner, D., see P. Brüll **182**, 339
Knau, H., A. Welti, A. Mielke, S. Senz and H.E. Stier, Sputtered NbN-films for RF applications **182**, 39
Knupfer, M., N. Nücker, M. Alexander, H. Romberg, P. Adelmann, J. Fink, J. Karpinski, E. Kaldis, S. Rusiecki and E. Jilek, Evidence against hole formation by Ca in $YBa_2Cu_4O_8$ **182**, 62
Kobayashi, N., see S. Nakajima **182**, 89
Koshizuka, N., see M. Kosuge **182**, 157
Kosuge, M., T. Maeda, K. Sakuyama, H. Yamauchi, N. Koshizuka and S. Tanaka, Transport properties of the Pb-based superconducting cuprate $(Pb_{(1+x)/2}Cu_{(1-x)/2})Sr_2(Y_{1-x}Ca_x)Cu_2O_y$ **182**, 157
Kroeger, D.M., see A. Goyal **182**, 203
Kuberkar, D.G., A.K. Rajarajan, G. Balakrishnan, L.C. Gupta and R. Vijayaraghavan, Structural and superconducting properties of the system $La_{1-x}PrSr_xCuO_4$ **182**, 149
Kuzmenkov, A.I., A.M. Tesker, P.E. Kazin and S.F. Pashin, Synthesis of HTSC $YBa_2Cu_4O_8$ by hot pressing at $PO_2=0.21$ atm **182**, 228

Lacorre, P., see J.B. Torrance **182**, 351
Lang, Ch., B. Hettich, M. Schwarz, H. Bestgen and S. Elschner, Observation of a new superconductor in the quaternary system Bi/Sr/Ca/Cu/O and its superconducting properties. A microstructural problem **182**, 79
Latyshev, Yu.I. and A.F. Volkov, Flux creep and peak effect in $Bi_2Sr_2CaCu_2O_x$ single crystals under a transport current along the *c*-axis **182**, 47
Leiderer, P., see P. Brüll **182**, 339
Lemmens, P., see J. Pankert **182**, 291
Leotin, J., see M.S. Osofsky **182**, 257
Liu, H.B., see H.J. Bornemann **182**, 132
Liu, R.S., J.L. Tallon and P.P. Edwards, An efficient and reproducible approach for attaining superconductivity at 128 K in $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ **182**, 119
Lombardi, E., see L. Jansen **182**, 17
Lorenz, M., S. Becker, H.-J. Dietze, W. Schmitz, B. Brunner and K.F. Renk, On the phase formation of laser deposited Bi–Sr–Ca–Cu–O films on MgO, ZrO_2 and silicon with YSZ buffer layers **182**, 114
Lucía, M.L., see A. Gauzzi **182**, 57
Lyubutin, I.S., A model for the local structure of twin domains and domain boundaries in doped $YBa_2(Cu_{1-x}M_x)_3O_y$ superconductors **182**, 315

Maeda, T., see M. Kosuge **182**, 157
Maignan, A., see E. Suard **182**, 219
Martovitsky, V.P. and V.V. Rodin, Lattice monoclinization of $YBa_2Cu_3O_{7-x}$ films **182**, 269
Matsushita, T., E.S. Otabe and B. Ni, Effect of reversible fluxoid motion on AC susceptibility of high temperature superconductors **182**, 95
Metzger, R.M., see J.B. Torrance **182**, 351
Meyer, C.A., see R.H. Arendt **182**, 73
Mielke, A., see H. Knau **182**, 39
Miller, B., see J.M. Rosamilia **182**, 285
Mineev-Weinstein, M.B., Exact calculations of T_c from Eliashberg equation for simultaneous action of different channels of pairing **182**, 322
Mishra, P.K., see G. Ravikumar **182**, 252
Morishita, T., see M. Kamei **182**, 123
Morris, D.E., see H.J. Bornemann **182**, 132
Murray, H., see G. Poullain **182**, 143

Nagase, K., see S. Nakajima **182**, 89
Nakajima, S., M. Kikuchi, Y. Syono, T. Oku, K. Nagase, N. Kobayashi, D. Shindo and K. Hiraga, Iodometric determination of oxygen contents of the Tl single layer system and their relevance to superconductivity **182**, 89
Napoli, F., see T. Aste **182**, 307
Ni, B., see T. Matsushita **182**, 95
Nishino, T., see M. Suga **182**, 25
Norton, M.G. and C.B. Carter, Effect of substrate temperature and oxygen pressure on the microstructure of thin $YBa_2Cu_3O_{7-\delta}$ film deposited on MgO by pulsed-laser ablation **182**, 30
Nücker, N., see M. Knupfer **182**, 62

Okomel'kov, A.V., see G.M. Genkin **182**, 171
Oku, T., see S. Nakajima **182**, 89
Osofsky, M.S., H. Rakoto, J.C. Ousset, J.P. Ulmet, J. Leotin, S. Askenazy, D.B. Chrisey, J.S. Horwitz, E.F. Skelton and S.A. Wolf, Classical two-dimensional magnetoresistance in the normal state of $YBa_2Cu_3O_{7-\delta}$ **182**, 257
Otabe, E.S., see T. Matsushita **182**, 95
Ousset, J.C., see M.S. Osofsky **182**, 257

Pankert, J., A. Comberg, P. Lemmens, P. Fröning and S. Ewert, Magnetoacoustic determination of pinning energies in high-T_c superconductors **182**, 291
Pashin, S.F., see A.I. Kuzmenkov **182**, 228
Pavuna, D., see A. Gauzzi **182**, 57
Picard, C., see P. Gerdanian **182**, 11

Poppe, U., see C.L. Jia **182**, 163
Poullain, G., T. Brousse, V. Chauvel-Kokabi, J.-F. Hamet and H. Murray, In-situ growth of Li-doped $Bi_2Sr_2CaCu_2O_8$ thin films by laser deposition **182**, 143

Rajagopal, H., see I.K. Gopalakrishnan **182**, 67
Rajarajan, A.K., see D.G. Kuberkar **182**, 149
Rakoto, H., see M.S. Osofsky **182**, 257
Raveau, B., see E. Suard **182**, 219
Ravi, S. and V. Seshu Bai, Fluctuation induced excess conductivity in the $Bi_{1.2}Pb_{0.3}Sr_{1.5}Ca_2Cu_3O_y$ compound **182**, 345
Ravikumar, G. and P.K. Mishra, Effect of magnetic history on transport critical currents **182**, 252
Renk, K.F., see M. Lorenz **182**, 114
Rodin, V.V., see V.P. Martovitsky **182**, 269
Romberg, H., see M. Knupfer **182**, 62
Rosamilia, J.M., S.H. Glarum, R.J. Cava, B. Batlogg and B. Miller, Anodic synthesis and characterization of millimeter crystals of $Ba_{0.6}K_{0.4}BiO_3$ **182**, 285
Rotella, F.J., see R.H. Arendt **182**, 73
Roytburd, A.L., see M.J. Turchinskaya **182**, 297
Rusiecki, S., see M. Knupfer **182**, 62

Sakuyama, K., see M. Kosuge **182**, 157
Sawano, K., see M.J. Turchinskaya **182**, 297
Schmitz, W., see M. Lorenz **182**, 114
Schubert, J., see C.L. Jia **182**, 163
Schwab, P. and D. Bäuerle, Pulsed-laser deposition of Y–Ba–Cu–O in O_2 and N_2O atmospheres **182**, 103
Schwarz, M., see Ch. Lang **182**, 79
Senz, S., see H. Knau **182**, 39
Sequeira, A., see I.K. Gopalakrishnan **182**, 67
Seshu Bai, V., see S. Ravi **182**, 345
Shang, S., see X. Wang **182**, 333
Shindo, D., see S. Nakajima **182**, 89
Skelton, E.F., see M.S. Osofsky **182**, 257
Smal, A.N., see S.N. Smirnov **182**, 261
Smirnov, S.N., S.M. Vatnik, A.N. Smal and Yu.A. Grishin, Induced flux creep as a novel technique for detecting alternating magnetic fields. Study of $Yba_2Cu_3O_{7-x}$ thin film at 0.006–100 MHz **182**, 261
Soltner, H., see C.L. Jia **182**, 163
Stier, H.E., see H. Knau **182**, 39
Suard, E., V. Caignaert, A. Maignan and B. Raveau, The important role of pyramidal copper layers of the 123-structure in superconductivity. The oxides $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_7$ and $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_6$ **182**, 219
Suga, M., T. Nishino, Y. Tarutani and K. Takagi, Tunneling study on copper oxide N–S bi-layer system **182**, 25
Suwanasri, C., see I.M. Tang **182**, 127
Swartzendruber, L.J., see M.J. Turchinskaya **182**, 297
Syono, Y., see S. Nakajima **182**, 89

Takagi, K., see M. Suga **182**, 25
Tallon, J.L., see R.S. Liu **182**, 119
Tanaka, S., see M. Kamei **182**, 123
Tanaka, S., A note on the mechanism of high-T_c superconductivity from the experimental point of view **182**, 137
Tanaka, S., see M. Kosuge **182**, 157
Tang, I.M. and C. Suwanasri, On the isotope effect and critical temperatures of high temperature layered superconductors **182**, 127
Tarutani, Y., see M. Suga **182**, 25
Tesker, A.M., see A.I. Kuzmenkov **182**, 228
Tietz, L.A. and C.B. Carter, Special grain boundaries in $YBa_2Cu_3O_{7-x}$ thin films **182**, 241
Torrance, J.B., P. Lacorre, C. Asavaroengchai and R.M. Metzger, Why are some oxides metallic, while most are insulating? **182**, 351
Touzelin, B., see P. Gerdanian **182**, 11
Turchinskaya, M.J., A.L. Roytburd, L.H. Bennett, L.J. Swartzendruber and K. Sawano, Determination of thermoactivation parameters of vortex mobility in $YBa_2Cu_3O_7$ using only magnetic measurements **182**, 297

Ulmet, J.P., see M.S. Osofsky **182**, 257
Urban, K., see C.L. Jia **182**, 163

Vatnik, S.M., see S.N. Smirnov **182**, 261
Vijayaraghavan, R., see D.G. Kuberkar **182**, 149
Volkov, A.F., see Yu.I. Latyshev **182**, 47

Wang, H., see X. Wang **182**, 333
Wang, X., H. Wang, M. Jiang, S. Shang, Z. Wang, S. Dong and W. Yu, Formation of monoclinic phase and its effect on the superconductivity of 2212 phase and 2223 phase in the Bi-based system **182**, 333
Wang, Z., see X. Wang **182**, 333
Welti, A., see H. Knau **182**, 39
Wilson, J.A., Rb_3C_{60} seen as a further example of chemical "negative-U" high temperature superconductivity. Comparison and contrast with the bismuthates and cuprates **182**, 1
Wolf, S.A., see M.S. Osofsky **182**, 257
Wu, C.Y., see X.W. Cao **182**, 153

Yablonsky, D.A., Magnetic order and natural inversion of the exchange and acoustic modes in high temperature superconductors with the R_2CuO_4 structure **182**, 105
Yakhmi, J.V., see I.K. Gopalakrishnan **182**, 67
Yamauchi, H., see M. Kosuge **182**, 157
Yoshida, I., see M. Kamei **182**, 123
Yu, W., see X. Wang **182**, 333

Physica C 182 (1991) 369–370
North-Holland

PHYSICA C

Analytic Subject Index to Volume 182

AC susceptibility 95, 219, 228, 333
Anderson localization 157
Andreev reflection 171
Anisotropic superconductor 257
Antiferromagnetic fluctuations 307
Antiferromagnetic order 105
Applications of high-T_c superconductors 52
Auger electron spectroscopy 57

Band structure 353
–of Rb_3C_{60} 1
Bipolaronic superconductivity 327

Campbell model 95
Carrier concentration 62
Charge transfer 157, 353
Coherence length 277
Coulomb interactions 353
Critical current density 79, 95, 252
–in $Bi_2Sr_2CaCu_2O_x$ 47
Critical state model 252
Crystallographic data 353

Defect structures 163, 241
–in $YBa_2Cu_3O_{7-\delta}$ 30
Domain boundaries 315

EELS
–on Ca-doped $YBa_2Cu_4O_8$ 62
Electrical resistivity 11, 47, 79, 103, 114, 149, 153, 228, 261, 277, 333
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 119
Electronic structure 191
–of A_3C_{60} 17
–of Rb_3C_{60} 1
Electron–phonon coupling 137, 327
Eliashberg equations 322
Energy gap 191, 307, 322, 345, 353
–in $HoBa_2Cu_3O_{7-y}$ 25
–in $La_{1.5}Ba_{1.5}Cu_3O_{7-y}$ 25

Fluctuation effects 257
–in $Bi_{1.2}Pb_{0.3}Sr_{1.5}Ca_2Cu_3O_y$ 277
Flux creep 261, 297
Flux dynamics 95, 291
Flux pinning 47, 261, 291, 297, 339

Ginzburg–Landau theory 127
Grain alignment 269
Grain alignment (texture) 203
Grain alignment (texturing) 57
Grain boundaries 241

Hall effect 157
HREM 79, 163

Impurity atoms 315
Indirect exchange pairing 17
Interlayer coupling 127
Irradiation effect 171
Isotope effect 127
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ 132

Laser deposition
–of Y–Ba–Cu–O 103
Lattice parameters 39
–of $Bi_2CaSr_2Cu_2O_x$ 73

Magnetic phase transition
–in R_2CuO_4 105
Magnetic susceptibility 285
Magnetization 132, 297, 339
Magnetoresistance 257
Microwave absorption 285
Mixed state 297

Negative U superconductivity 1
Neutron diffraction 67, 73
–of $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_6$ 219
–of $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_7$ 219
NMR
–in $YBa_2Cu_4O_8$ 327
Normal-state properties 137, 153, 257, 353

O–T transition
–in $YBa_2Cu_3O_2$ 11
Oxygen stoichiometry 11, 119, 157, 219
–in $TlBa_2Ca_{1-x}Y_xCu_2O_w$ 89

Pairing interaction 307, 322
Penetration depth 39
Phase diagram 79, 114
Phonon mechanism 132
Phonon spectrum 231
Photoemission 345
Proximity effect 25

Quasiparticle heating 171

Raman scattering 191, 231

Single-crystal growth 203
Spin–lattice relaxation time T_1 327
Spin structure 105
Structural phase transition 149
Structure
–of A_3C_{60} 17
–of $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_6$ 219
–of $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_7$ 219
–of $Bi_2Sr_2CaCu_2O_8$ (thin films) 143
–of $Bi_4Sr_4CaCu_3O_{14+z}$ 79
–of Bi–Sr–Ca–Cu–O (thin films) 114
–of $La_{1-x}PrSr_xCuO_4$ 149
–of $TlBa_2Ca_{1-x}Y_xCu_2O_w$ 89
–of $YBa_2Cu_4O_8$ 67
Substitution effects 153
–in $Bi_2Sr_2CaCu_2O_8$ (thin films) 143
–in Bi–Pb–Sr–Ca–Cu–O 333
–in $La_{1-x}PrSr_xCuO_4$ 149
–in $YBa_2(Cu_{1-x}M_x)_3O_y$ 315
–in $YBa_2Cu_4O_8$ 62
Surface impedance 39
Suspension effect 52
Synthesis
–of $Ba_{0.6}K_{0.4}BiO_3$ 285
–of $Bi_2Sr_2CaCu_2O_8$ (thin films) 143
–of $Bi_4Sr_4CaCu_3O_{14+z}$ 79
–of Bi–Pb–Sr–Ca–Cu–O 333
–of Bi–Sr–Ca–Cu–O (thin films) 114, 123
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 119
–of $TlBa_2Ca_{1-x}Y_xCu_2O_w$ 89
–of $YBa_2Cu_3O_{7-\delta}$ (thin films) 30
–of $YBa_2Cu_3O_{7-\delta}$–Ag 203
–of $YBa_2Cu_4O_8$ 67, 228

Thermal expansion
–of $Bi_2CaSr_2Cu_2O_x$ 73
Thermoelectric effects
–in $(Pb(_{1+x})/2Cu(1-x/2)Sr_2(Y_{1-x}Ca_x)Cu_2O_y$ 157
Thin films 103, 114, 163, 261
–of Bi–Sr–Ca–Cu–O 123
–of NbN 39
–of $Tl_2Ba_2CaCu_2O_8$ 231

–of $YBa_2Cu_3O_{7-\delta}$ 30
–of $YBa_2Cu_3O_{7-x}$ 57, 241, 269, 339
Tunneling 25
Twin boundaries 269
Twin domains 315

Ultrasound attenuation 291

Physica C 182 (1991) 371
North-Holland

PHYSICA C

Materials Index to Volume 182

$Ba_{0.6}K_{0.4}BiO_3$
–synthesis 285
$Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_6$
–neutron diffraction 219
–structure 219
$Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_7$
–neutron diffraction 219
–structure 219
$Bi_{1.2}Pb_{0.3}Sr_{1.5}Ca_2Cu_3O_y$
–fluctuation effects 277
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$
–isotope effect 132
$Bi_2CaSr_2Cu_2O_x$
–lattice parameters 73
–thermal expansion 73
$Bi_2Sr_2CaCu_2O_8$
–structure 143
–substitution effects 143
–synthesis 143
$Bi_2Sr_2CaCu_2O_x$
–critical current density 47
$Bi_4Sr_4CaCu_3O_{14+z}$
–structure 79
–synthesis 79
Bi–Pb–Sr–Ca–Cu–O
–substitution effects 333
–synthesis 333
Bi–Sr–Ca–Cu–O
–structure 114
–synthesis 114, 123
–thin films 123

$HoBa_2Cu_3O_{7-y}$
–energy gap 25

$La_{1.5}Ba_{1.5}Cu_3O_{7-y}$
–energy gap 25
$La_{1-x}PrSr_xCuO_4$
–structure 149
–substitution effects 149

$(Pb_{(1+x)}/2Cu(1-x/2)Sr_2(Y_{1-x}Ca_x)Cu_2O_y$
–thermoelectric effects 157

R_2CuO_4
–magnetic phase transition 105
Rb_3C_{60}
–band structure 1
–electronic structure 1

$Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$
–electrical resistivity 119
–synthesis 119
$Tl_2Ba_2CaCu_2O_8$
–thin films 231

$TlBa_2Ca_{1-x}Y_xCu_2O_w$
–oxygen stoichiometry 89
–structure 89
–synthesis 89

$YBa_2(Cu_{1-x}M_x)_3O_y$
–substitution effects 315
$YBa_2Cu_3O_2$
–O–T transition 11
$YBa_2Cu_3O_{7-\delta}$
–defect structures 30
–synthesis 30
–thin films 30
$YBa_2Cu_3O_{7-\delta}$–Ag
–synthesis 203
$YBa_2Cu_3O_{7-x}$
–thin films 57, 241, 269, 339
$YBa_2Cu_4O_8$
–EELS 62
–NMR 327
–structure 67
–substitution effects 62
–synthesis 67, 228
Y–Ba–Cu–O
–laser deposition 103